

QuickSee *Free*

Accurate autorefraction
anywhere



Lightweight

Desktop power in a handheld



Fast

Accurate measurements in 10 seconds



Easy to use

Modern and intuitive design



QuickSee Free's combination of the open view design, wavefront aberrometry, and dynamic measurements produces clinically accurate autorefraction measurements, in a durable handheld format suitable for use in your practice and in the field.

The patented PlenOptika Wavefront Refraction Engine™ performs continuous data analysis, making QuickSee Free as accurate as the high-end


clinical desktop autorefractors and demonstrating excellent agreement with subjective refraction.

QuickSee Free's technology has been clinically-evaluated in five IRB-based studies and documented in seven peer-reviewed publications and conference abstracts. QuickSee Free has FDA Class I 510(k) exempt medical device registration.




**QuickSee Free's design and UI
are modern and friendly**


QuickSee *Free*




Video view for fast camera-aided alignment



Dynamic measurements captured in less than 10 seconds



>10,000 results storage; Bluetooth printer compatible and data exportable through Companion app



Intuitive, modern interface design in 11 languages

Technical specifications

Pupil size	2 to 8 mm
Intended patient population	>= 3 years
Accommodation control	Open view, Fogging lens (optional)
Cycloplegia requirement	None
Contact lens wearers (excluding multifocal lenses)	Over-refraction compatible
Dilation Requirement	None
Illumination requirements	None
Acquisition time	10 seconds
Spherical Range	-12D to +10D, increments of 0.01D, 0.125D, 0.25D
Cylindrical Range	-8D to +8D, increments of 0.01D, 0.125D, 0.25D
Axial range	0–180°, increments of 1°, 5°, 10°
Base Technology	Wavefront aberrometry

General specifications

Display properties	2.4-inch LCD, capacitive touch screen, readable outdoors, true color (65,536 colors)
Charger properties	USB-C medical grade wall adapter, AC 100 to 240V, 50/60 Hz
Battery	6 hours continuous use +/- 1 hour (10,000 mAh Li-ion); 5 hours charge time; IEC 62133-2:2017 certified
Calibration	Factory calibrated; no field calibration needed
Measurement capacity	Measurement storage capacity: > 10,000 measurements
Regulatory classification (medical device)	Class I FDA (USA), Class IIa Product CE, MDR Compliant, Class IIa, UKCA, MDR 2002 Compliant
Laser safety	Class 1, IEC 60825-1:2014 certified
Weight	< 750 grams / 1.65 lbs
Dimensions	30 cm (H) x 5.5 cm (W), 18 cm (L)

Vertrieb & Service in Deutschland:



bon Optic Vertriebsgesellschaft mbH

Stellmacherstraße 14 · 23556 Lübeck
Tel. 0451 80 9000 · E-Mail call@bon.de · www.bon.de



QuickSee Companion App
for results download, available for Android and Windows OS



Bluetooth printer included
pre-paired with QuickSee Free for easy results printing

PlenOptika Europe, S.L.U.
Parque Científico de Madrid
Calle Faraday 7, #2.06
Madrid, 28049 Spain

plenoptika.com
@plenoptika LinkedIn / Instagram / Facebook